



VEGETATION OF THE WET TROPICS BIOREGION

Wet Tropics vegetation mapping



The need for better maps

- The vegetation maps that were available in the past were not adequate for modern planning, decision making and technology.
- In the early days of the Authority, issues such as the Tully Millstream and Skyrail environmental assessments highlighted the need for higher resolution and more accurate mapping.

What was available in the past



Forestry maps (1970s and 80s)

Main disadvantages

- Purpose commercial logging
- Inadequate vegetation classification only 8 broad

vegetation types)




GRID LINES. INDICATE 1000 METRE INTERVALS OF THE AUSTRAL GRID VALUES ARE SHOWN IN FULL ONLY AT THE SOUTH WEST HORIZONTAL DATUM: AUSTRALIAN GEODETIC DAT VERTICAL DATUM: AUSTRALIAN HEIGHT DA TRANSVERSE MERCATOR PROJECTION

CROWN COPYRIGHT RESERVED

Railway; Station; Siding; Tramway	
Firebreaks - cleared; green; dozed line	THE PERSON NAMED AND ADDRESS A
Power line	
Telephane line	
Fence cross country: Adjacent to road	
Fence on cadastral line boundary	
Survey station; surveyed line	
Unsurveyed line; subdivision or lot boundary	
Forest Inventory Survey stations and plot	
Compartment Number: Sub-Compartment	125
Cliff; Escarpment	
Trig station; Fire tower lookout; Radio mast	△ ▲ ≺
Post Office; School; Building(s); Mine	
Windmill; Tank; Small Dam; Bore	
Waterbole: Falle: Ranide	Suu ~

Vegetation classification

- Rainforest
- Hoop pine
- Wet sclerophyll
- Dry sclerophyll
- Scrub
- Swamp
- Tea-tree
- mangrove



Wet Tropics vegetation mapping



What was available in the past Tracey and Webb (1975)

A series of 15 maps at 1: 100 00 scale






Advantages

- Great improvement over forestry maps: e.g. 2 broad vegetation types and 58 vegetation communities.
- Well used and respected

Disadvantages


- Scale not adequate
- Line work smoothed-out and not precise
- Many polygons with multiple labels
- Pre-digital age technology
- Not designed for modern computer age and GIS
- Originally only covered area from Cooktown to Cardwell Gap



The mapping process



- Aerial photography interpretation
- Scan air photos
- Create digital elevation model and ortho-rectify air photos
- GIS processes, scripting, QA
- Line work and vegetation capture




Some statistics

WET TROPICS
MANAGEMENT AUTHORITY


- 4000 x 1:25 000 aerial photographs
- 90,000 polygons digitised and coded
- two million hectares mapped
- 55 x 1:50k Australian map series sheets created







Vegetation Hierarchy: Level 1 - Division






non vegetatedvegetated

This drawing is considered a sketch. The data shown on this sketch is from a variety of sources. The accuracy of externally sourced data may not have been checked by the Wet Tropics Management Authority.



Date Produced: 16 August 2006 GIS Job Reference : j4133



Vegetation Hierarchy: Level 2 - Class






- naturally unvegetated, non-native vegetation, clea
- mangroves and halophytes
- non woody vegetation
- Rainforests
- sclerophyll forests and woodlands
- sclerophyll rainforest
- shrublands and heathlands
- vegetation mosaics

This drawing is considered a sketch. The data shown on this sketch is from a variety of sources. The accuracy of externally sourced data may not have been checked by the Wet Tropics Management Authority.




Date Produced: 16 August 2006 GIS Job Reference: j4133





Vegetation Hierarchy: Level 3 - Formation






- naturally unvegetated
- Mangrove forests
- Samphire herbland
- fernland
- Rainforests
- thickets
 - Acacia forests and woodlands
- Casuarina forests and woodlands
- Eucalypt forests and woodlands
- Lophostemon forests and woodlands
- Melaleuca forests and woodlands
- Syncarpia forests and woodlands
- closed Acacia forest
- closed Eucalypt forest
- Closed Lophostemon forest
- Acacia heathland
- Acacia shrubland
- vegetation mosaics

This drawing is considered a sketch The data shown on this sketch is from a variety of sources. The accuracy of externally sourced data may not have been checked by the Wet Tropics Management Authority.



Date Produced: 16 August 2006 GIS Job Reference: j4133





Vegetation Hierarchy: Level 4 - Alliance






- naturally unvegetated
- water body
- Mangrove forest complex
- Halosarcia indica herbland
- Dicranopteris linearis fernland
- mesophyll vine forest
- microphyll vine forest
- notophyll vine forest
- Palm vine forest
- microphyll fern thicket
- Acacia flavescens forests and woodlands
- Acacia julifera forests and woodlands
- Allocasuarina littoralis forests and woodlands
- Corymbia clarksoniana forests and woodlands
- Corymbia intermedia forests and woodlands
- Corymbia tessellaris forests and woodlands
- Eucalyptus cloeziana forests and woodlands
- Eucalyptus drepanophylla forests and woodlands
- Eucalyptus portuensis forests and woodlands
- Eucalyptus resinifera forests and woodlands
- Eucalyptus tereticornis forests and woodlands
- Melaleuca dealbata forests and woodlands
- Melaleuca quinquenervia forests and woodlands
- Lophostemon suaveolens forests and woodlands
- Melaleuca viridiflora forests and woodlands
- Melaleuca leucadendra forests and woodlands
- Syncarpia glomulifera forests and woodlands
- Closed Acacia celsa vine forest
- closed Eucalyptus pellita forest
- closed Edealyptus pellita forest
- Closed Lophostemon confertus forest
- Acacia flavescens heathland
- Acacia celsa shrubland
- vegetation mosaic

This drawing is considered a sketch The data shown on this sketch is from a variety of sources. The accuracy of externally sourced data may not have been checked by the West Tronics Management Authority.



Date Produced: 16 August 2006 GIS Job Reference : j4133





Vegetation Hierarchy: Level 5 - Association






(Refer seperate legend file)

This drawing is considered a sketch The data shown on this sketch is from a variety of sources. The accuracy of externally sourced data may not have been checked by the Wet Tropics Management Authority.



Date Produced: 16 August 2006 GIS Job Reference: j4133








We had to revisit the data

- Remove geology
- Develop a vegetation classification hierarchy
- Re-coding (similar to similar) site data
- Develop a colour scheme









You want how many greens and yellows and mangroves are what?

rainforest

- Level 3
- Mesophyll rainforests
- Palm-leaf rainforests
- Notophyll rainforests
- Microphyll rainforests
- Notophyll thickets
- Microphyll thickets

sclerophyll_rainforest

- Level 3
- Closed Acacia forests
- Closed Eucalyptus forests
- Closed Lophostemon forests

sclerophyll_woodlands

- Level 3
- Eucalyptus forests and woodlands
- Melaleuca forests and woodlands
- Syncarpia forests and woodlands
- Casuarina forests and woodlands
 Lophostemon forests and woodlands
- Acacia forests and woodlands

veg_complexes

- Level 3
- Secondary successional complex
- Coastal beach community complex
- Fern complex
- Riparian complex
- Wetland complex
- Rock pavement and coastal headland complex shrublands heathlands

nonwoody_vegetation

- Level_3
- Grasslands
- Sedgelands


mangrove

- Level 3
- Mangrove forests
- Mangrove grasslands and herblands

unvegetated


- Level 3
- Naturally unvegetated
- Rural, agricultural and urban
- Water body





Complementary to the 1:50 000 Australian map series





Most locational information has been carried over from the

d accessible data (S) WET TROPICS User-friendly a




			No.			
VEG	LEVEL 1	LEVEL 2	LEVEL 3	LEVEL 4	LEVEL 5	
CODE	Division	Class	Formation	Alliance	Association	
1 e	Vegetated	Rainforest	Mesophyll rainforest	Complex mesophyll vine forests (CMVF)	Complex mesophyll vine forest characterised by <i>Intsia</i> bijuga, Beilschmiedia obtusifolia and Palaquium galactoxylon (on calcareous sand ridges). Very wet lowlands on dunes. (variant of 1a)	
44a	Vegetated	Sclerophyll forests and woodlands	Eucalyptus forests and woodlands	Eucalyptus reducta forests and woodlands	Medium to tall open Eucalyptus reducta forest + Syncarpia glomulifera subsp. glomulifera + Allocasuarina torulosa. Wet to dry highlands mainly on granites.	
68b	Vegetated	Non-woody vegetation	Grasslands	Imperata cylindrica grasslands	Imperata cylindrica grassland + Sorghum nitidum ± Mnesithea rottboellioides. Wet and very wet lowlands on alluvium and metamorphics.	
71a	Un-vegetated	Cleared, un-vegetated or non- native	Naturally un-vegetated	Naturally un-vegetated	Seasonally fluctuating water bodies with emergent and floating vegetation.	
	2	8	32	70	187- vegetation communities 251 - communities (including subtypes and variants)	
No. of vegetation types described at each level						



Products and delivery

Developed with the end-user in mind

- GIS digital maps
- Hard copy maps
- USB wafer
- E-Atlas
- Website



The maps and data are a valuable west authority and useful resource

PLANNING DEVELOPMENT AND ASSESSMENT

- Statutory vegetation mapping (regional ecosystems)
- Regional land use planning
- Environmental impact assessments
- Environmental planning
- Catchment planning
- Vegetation management and compliance

SCIENCE & POLICY

- Conservation biology
- Field work/site selection
- Spatial modelling
- Conservation assessment
- State of the Environment Reporting

LAND MANAGEMENT

- Vegetation restoration
- Property planning
- Weed and pest priorities
- Fire management
- Protected area Plans of Management
- Pest Management (Large Herbivores)

EDUCATION

- Education community
- · Understanding and appreciation

Available to our stakeholders



