

# Wet Tropics Bioregion

## Birds Species List

### NCA Key

C - Common, V - Vulnerable, NT - Near threatened, E - Endangered, Introduced -   

Scientific Name	Common Name	NCA
<i>Acanthagenys rufogularis</i>	spiny-cheeked honeyeater	C
<i>Acanthiza katherina</i>	mountain thornbill	C
<i>Acanthiza nana</i>	yellow thornbill	C
<i>Acanthiza pusilla</i>	brown thornbill	C
<i>Acanthiza reguloides</i>	buff-rumped thornbill	C
<i>Acanthorhynchus tenuirostris</i>	eastern spinebill	C
<i>Accipiter cirrocephalus</i>	collared sparrowhawk	C
<i>Accipiter fasciatus</i>	brown goshawk	C
<i>Accipiter novaehollandiae</i>	grey goshawk	NT
<i>Acrocephalus australis</i>	Australian reed-warbler	C
<i>Acrocephalus orientalis</i>	oriental reed-warbler	C
<i>Actitis hypoleucos</i>	common sandpiper	C
<i>Aegotheles cristatus</i>	Australian owl-nightjar	C
<i>Aerodramus terraereginae</i>	Australian swiftlet	NT
<i>Aerodramus vanikorensis</i>	uniform swiftlet	C
<i>Ailuroedus crassirostris</i>	green catbird	C
<i>Ailuroedus melanotis</i>	spotted catbird	C
<i>Alectura lathami</i>	Australian brush-turkey	C
<i>Alisterus scapularis</i>	Australian king-parrot	C
<i>Amaurornis cinerea</i>	white-browed crake	C
<i>Amaurornis moluccana</i>	pale-vented bush-hen	C
<i>Amblyornis newtonianus</i>	golden bowerbird	C
<i>Anas castanea</i>	chestnut teal	C
<i>Anas gracilis</i>	grey teal	C
<i>Anas platyrhynchos</i>	<b>northern mallard</b>	
<i>Anas rhynchotis</i>	Australasian shoveler	C
<i>Anas superciliosa</i>	Pacific black duck	C
<i>Anhinga novaehollandiae</i>	Australasian darter	C
<i>Anous minutus</i>	black noddy	C
<i>Anous stolidus</i>	common noddy	C
<i>Anseranas semipalmata</i>	maggie goose	C
<i>Anthochaera phrygia</i>	regent honeyeater	E
<i>Anthus novaeseelandiae</i>	Australasian pipit	C
<i>Aplornis metallica</i>	metallic starling	C
<i>Aprosmictus erythropterus</i>	red-winged parrot	C
<i>Apus affinis</i>	house swift	C
<i>Apus pacificus</i>	fork-tailed swift	C
<i>Aquila audax</i>	wedge-tailed eagle	C
<i>Ardea ibis</i>	cattle egret	C
<i>Ardea intermedia</i>	intermediate egret	C
<i>Ardea modesta</i>	eastern great egret	C
<i>Ardea pacifica</i>	white-necked heron	C
<i>Ardea sumatrana</i>	great-billed heron	C
<i>Ardenna pacifica</i>	wedge-tailed shearwater	C
<i>Ardenna tenuirostris</i>	short-tailed shearwater	C
<i>Ardeotis australis</i>	Australian bustard	C
<i>Arenaria interpres</i>	ruddy turnstone	C
<i>Arses kaupi</i>	piebald monarch	C
<i>Artamus cinereus</i>	black-faced woodswallow	C
<i>Artamus cyanopterus</i>	dusky woodswallow	C
<i>Artamus leucorhynchus</i>	white-breasted woodswallow	C
<i>Artamus minor</i>	little woodswallow	C
<i>Artamus personatus</i>	masked woodswallow	C
<i>Artamus superciliosus</i>	white-browed woodswallow	C
<i>Aviceda subcristata</i>	Pacific baza	C
<i>Aythya australis</i>	hardhead	C
<i>Biziura lobata</i>	musk duck	C
<i>Bolemoreus frenatus</i>	bridled honeyeater	C
<i>Burhinus grallarius</i>	bush stone-curlew	C
<i>Butorides striata</i>	striated heron	C
<i>Cacatua galerita</i>	sulphur-crested cockatoo	C
<i>Cacatua sanguinea</i>	little corella	C
<i>Cacatua tenuirostris</i>	long-billed corella	C
<i>Cacomantis castaneiventris</i>	chestnut-breasted cuckoo	C
<i>Cacomantis flabelliformis</i>	fan-tailed cuckoo	C



# Wet Tropics Bioregion

## Birds Species List

### NCA Key

C - Common, V - Vulnerable, NT - Near threatened, E - Endangered, Introduced -     

<i>Cacomantis pallidus</i>	pallid cuckoo	C
<i>Cacomantis variolosus</i>	brush cuckoo	C
<i>Calidris acuminata</i>	sharp-tailed sandpiper	C
<i>Calidris alba</i>	sanderling	C
<i>Calidris alpina</i>	dunlin	C
<i>Calidris canutus</i>	red knot	C
<i>Calidris ferruginea</i>	curlew sandpiper	C
<i>Calidris melanotos</i>	pectoral sandpiper	C
<i>Calidris ruficollis</i>	red-necked stint	C
<i>Calidris subminuta</i>	long-toed stint	C
<i>Calidris tenuirostris</i>	great knot	C
<i>Caligavis chrysops</i>	yellow-faced honeyeater	C
<i>Calyptorhynchus banksii</i>	red-tailed black-cockatoo	C
<i>Calyptorhynchus lathami</i>	glossy black-cockatoo	V
<i>Caprimulgus macrurus</i>	large-tailed nightjar	C
<i>Carterornis leucotis</i>	white-eared monarch	C
<i>Casuarius casuarius johnsonii</i> (southern population)	southern cassowary (southern population)	E
<i>Cecropis daurica</i>	red-rumped swallow	C
<i>Centropus phasianinus</i>	pheasant coucal	C
<i>Ceyx azureus</i>	azure kingfisher	C
<i>Ceyx pusilla</i>	little kingfisher	C
<i>Chalcites basalis</i>	Horsfield's bronze-cuckoo	C
<i>Chalcites lucidus</i>	shining bronze-cuckoo	C
<i>Chalcites minutillus minutillus</i>	little bronze-cuckoo	C
<i>Chalcites minutillus russatus</i>	Gould's bronze-cuckoo	C
<i>Chalcites osculans</i>	black-eared cuckoo	C
<i>Chalcophaps indica</i>	emerald dove	C
<i>Charadrius bicinctus</i>	double-banded plover	C
<i>Charadrius dubius</i>	little ringed plover	C
<i>Charadrius hiaticula</i>	ringed plover	C
<i>Charadrius leschenaultii</i>	greater sand plover	C
<i>Charadrius mongolus</i>	lesser sand plover	C
<i>Charadrius ruficapillus</i>	red-capped plover	C
<i>Charadrius veredus</i>	oriental plover	C
<i>Chenonetta jubata</i>	Australian wood duck	C
<i>Cheramoeca leucosterna</i>	white-backed swallow	C
<i>Chlidonias hybrida</i>	whiskered tern	C
<i>Chlidonias leucopterus</i>	white-winged black tern	C
<i>Chroicocephalus novaehollandiae</i>	silver gull	C
<i>Cincloramphus cruralis</i>	brown songlark	C
<i>Cincloramphus mathewsi</i>	rufous songlark	C
<i>Circus approximans</i>	swamp harrier	C
<i>Circus assimilis</i>	spotted harrier	C
<i>Cissomela pectoralis</i>	banded honeyeater	C
<i>Cisticola exilis</i>	golden-headed cisticola	C
<i>Cisticola juncidis laveryi</i>	zitting cisticola	C
<i>Climacteris affinis</i>	white-browed treecreeper	C
<i>Climacteris melanura</i>	black-tailed treecreeper	C
<i>Climacteris picumnus</i>	brown treecreeper	C
<i>Collocalia esculenta</i>	glossy swiftlet	C
<i>Colluricincla boweri</i>	Bower's shrike-thrush	C
<i>Colluricincla harmonica</i>	grey shrike-thrush	C
<i>Colluricincla megarhyncha</i>	little shrike-thrush	C
<i>Columba leucomela</i>	white-headed pigeon	C
<i>Columba livia</i>	rock dove	
<i>Conopophila rufogularis</i>	rufous-throated honeyeater	C
<i>Coracina lineata</i>	barred cuckoo-shrike	C
<i>Coracina maxima</i>	ground cuckoo-shrike	C
<i>Coracina novaehollandiae</i>	black-faced cuckoo-shrike	C
<i>Coracina papuensis</i>	white-bellied cuckoo-shrike	C
<i>Coracina tenuirostris</i>	cidabird	C
<i>Corcorax melanorhamphos</i>	white-winged chough	C
<i>Cormobates leucophaea</i>	white-throated treecreeper	C
<i>Cormobates leucophaea minor</i>	white-throated treecreeper (northern)	C
<i>Corvus coronoides</i>	Australian raven	C
<i>Corvus orru</i>	Torresian crow	C
<i>Coturnix pectoralis</i>	stubble quail	C
<i>Coturnix ypsilophora</i>	brown quail	C
<i>Cracticus nigrogularis</i>	piebald butcherbird	C
<i>Cracticus quoyi</i>	black butcherbird	C
<i>Cracticus tibicen</i>	Australian magpie	C
<i>Cracticus torquatus</i>	grey butcherbird	C
<i>Cuculus optatus</i>	oriental cuckoo	C
<i>Cyclopsitta diophthalma macleayana</i>	Macleay's fig-parrot	V

conserving... sharing... enriching





# Wet Tropics Bioregion

## Birds Species List

### NCA Key

C - Common, V - Vulnerable, NT - Near threatened, E - Endangered, Introduced -  

<i>Cygnus atratus</i>	black swan	C
<i>Dacelo leachii</i>	blue-winged kookaburra	C
<i>Dacelo novaeguineae</i>	laughing kookaburra	C
<i>Daphoenositta chrysoptera</i>	varied sittella	C
<i>Dendrocygna arcuata</i>	wandering whistling-duck	C
<i>Dendrocygna eytoni</i>	plumed whistling-duck	C
<i>Dicaeum hirundinaceum</i>	mistletoebird	C
<i>Dicrurus bracteatus</i>	spangled drongo	C
<i>Dromaius novaehollandiae</i>	emu	C
<i>Drymodes superciliaris</i>	northern scrub-robin	C
<i>Ducula bicolor</i>	pie imperial-pigeon	C
<i>Egretta garzetta</i>	little egret	C
<i>Egretta novaehollandiae</i>	white-faced heron	C
<i>Egretta picata</i>	pie heron	C
<i>Egretta sacra</i>	eastern reef egret	C
<i>Elanus axillaris</i>	black-shouldered kite	C
<i>Elanus scriptus</i>	letter-winged kite	C
<i>Elseornis melanops</i>	black-fronted dotterel	C
<i>Emblema pictum</i>	painted finch	C
<i>Entomyzon cyanotis</i>	blue-faced honeyeater	C
<i>Eolophus roseicapillus</i>	galah	C
<i>Eopsaltria australis</i>	eastern yellow robin	C
<i>Ephippiorhynchus asiaticus</i>	black-necked stork	NT
<i>Erythronyctes alba</i>	red-kneed dotterel	C
<i>Erythrotriorchis radiatus</i>	red goshawk	E
<i>Erythrura goeldiae</i>	Gouldian finch	E
<i>Erythrura trichroa</i>	blue-faced parrot-finch	NT
<i>Esacus magnirostris</i>	beach stone-curlew	V
<i>Eudynamis orientalis</i>	eastern koel	C
<i>Eulabeornis castaneiventris</i>	chestnut rail	C
<i>Eurostopodus argus</i>	spotted nightjar	C
<i>Eurostopodus mystacalis</i>	white-throated nightjar	C
<i>Eurystomus orientalis</i>	dollarbird	C
<i>Excalfactoria chinensis</i>	king quail	C
<i>Falco berigora</i>	brown falcon	C
<i>Falco cenchroides</i>	nankeen kestrel	C
<i>Falco hypoleucos</i>	grey falcon	NT
<i>Falco longipennis</i>	Australian hobby	C
<i>Falco peregrinus</i>	peregrine falcon	C
<i>Falco subniger</i>	black falcon	C
<i>Falcunculus frontatus</i>	crested shrike-tit	C
<i>Fregata ariel</i>	lesser frigatebird	C
<i>Fregata minor</i>	great frigatebird	C
<i>Fregetta tropica</i>	black-bellied storm-petrel	C
<i>Fulica atra</i>	Eurasian coot	C
<i>Fulmarus glacialis</i>	southern fulmar	C
<i>Gallinago hardwickii</i>	Latham's snipe	C
<i>Gallinago megala</i>	Swinhoe's snipe	C
<i>Gallinula tenebrosa</i>	dusky moorhen	C
<i>Gallirallus philippensis</i>	buff-banded rail	C
<i>Gallus gallus</i>	red junglefowl	
<i>Gavicalis fasciogularis</i>	mangrove honeyeater	C
<i>Gavicalis versicolor</i>	varied honeyeater	C
<i>Gavicalis virescens</i>	singing honeyeater	C
<i>Gelochelidon nilotica</i>	gull-billed tern	C
<i>Geopelia cuneata</i>	diamond dove	C
<i>Geopelia humeralis</i>	bar-shouldered dove	C
<i>Geopelia striata</i>	peaceful dove	C
<i>Geophaps scripta</i>	squatter pigeon	C
<i>Geophaps scripta peninsulae</i>	squatter pigeon (northern subspecies)	C
<i>Geophaps scripta scripta</i>	squatter pigeon (southern subspecies)	V
<i>Gerygone albogularis</i>	white-throated gerygone	C
<i>Gerygone fusca</i>	western gerygone	C
<i>Gerygone levigaster</i>	mangrove gerygone	C
<i>Gerygone magnirostris</i>	large-billed gerygone	C
<i>Gerygone mouki</i>	brown gerygone	C
<i>Gerygone palpebrosa</i>	fairy gerygone	C
<i>Glareola maldivarum</i>	oriental pratincole	C
<i>Glossopsitta pusilla</i>	little lorikeet	C
<i>Grallina cyanoleuca</i>	magpie-lark	C
<i>Grantiella picta</i>	painted honeyeater	V
<i>Grus antigone</i>	sarus crane	C
<i>Grus rubicunda</i>	brilga	C
<i>Gygis alba</i>	white tern	C
<i>Haematopus fuliginosus</i>	sooty oystercatcher	NT
<i>Haematopus longirostris</i>	Australian pied oystercatcher	C

conserving... sharing... enriching



**WET TROPICS**  
MANAGEMENT AUTHORITY



# Wet Tropics Bioregion

## Birds Species List

### NCA Key

C - Common, V – Vulnerable, NT – Near threatened, E – Endangered, Introduced -     

<i>Haliaeetus leucogaster</i>	white-bellied sea-eagle	C
<i>Haliastur indus</i>	brahminy kite	C
<i>Haliastur sphenurus</i>	whistling kite	C
<i>Hamirostra melanosternon</i>	black-breasted buzzard	C
<i>Heteromyias cinereifrons</i>	grey-headed robin	C
<i>Hieraaetus morphnoides</i>	little eagle	C
<i>Himantopus himantopus</i>	black-winged stilt	C
<i>Hirundapus caudacutus</i>	white-throated needletail	C
<i>Hirundo neoxena</i>	welcome swallow	C
<i>Hirundo rustica</i>	barn swallow	C
<i>Hydroprogne caspia</i>	Caspian tern	C
<i>Hylacola pyrrhopygia</i>	chestnut-rumped heathwren	C
<i>Irediparra gallinacea</i>	comb-crested jacana	C
<i>Ixobrychus dubius</i>	Australian little bittern	C
<i>Ixobrychus flavicollis</i>	black bittern	C
<i>Lalage leucomela</i>	varied triller	C
<i>Lalage sueurii</i>	white-winged triller	C
<i>Larus dominicanus</i>	kelp gull	C
<i>Lathamus discolor</i>	swift parrot	E
<i>Leucophaeus atricilla</i>	laughing gull	C
<i>Leucophaeus pipixcan</i>	Franklin's gull	C
<i>Leucosarcia picata</i>	wonga pigeon	C
<i>Lewinia pectoralis</i>	Lewin's rail	NT
<i>Lichmera indistincta</i>	brown honeyeater	C
<i>Limicola falcinellus</i>	broad-billed sandpiper	C
<i>Limnodromus semipalmatus</i>	Asian dowitcher	C
<i>Limosa lapponica</i>	bar-tailed godwit	C
<i>Limosa limosa</i>	black-tailed godwit	C
<i>Lonchura castaneothorax</i>	chestnut-breasted mannikin	C
<i>Lonchura punctulata</i>	nutmeg mannikin	C
<i>Lophoictinia isura</i>	square-tailed kite	NT
<i>Lopholaimus antarcticus</i>	topknot pigeon	C
<i>Machaerirhynchus flaviventer</i>	yellow-breasted boatbill	C
<i>Macropygia amboinensis</i>	brown cuckoo-dove	C
<i>Malacorhynchus membranaceus</i>	pink-eared duck	C
<i>Malurus amabilis</i>	lovely fairy-wren	C
<i>Malurus lamberti</i>	variegated fairy-wren	C
<i>Malurus melanocephalus</i>	red-backed fairy-wren	C
<i>Manorina flavigula</i>	yellow-throated miner	C
<i>Manorina melanocephala</i>	noisy miner	C
<i>Megalurus gramineus</i>	little grassbird	C
<i>Megalurus timoriensis</i>	tawny grassbird	C
<i>Megapodius reinwardt</i>	orange-footed scrubfowl	C
<i>Melanodryas cucullata</i>	hooded robin	C
<i>Meliphaga gracilis</i>	graceful honeyeater	C
<i>Meliphaga lewinii</i>	Lewin's honeyeater	C
<i>Meliphaga notata</i>	yellow-spotted honeyeater	C
<i>Melithreptus albogularis</i>	white-throated honeyeater	C
<i>Melithreptus brevirostris</i>	brown-headed honeyeater	C
<i>Melithreptus gularis</i>	black-chinned honeyeater	NT
<i>Melithreptus gularis laetior</i>	golden-backed honeyeater	NT
<i>Melithreptus lunatus</i>	white-naped honeyeater	C
<i>Melopsittacus undulatus</i>	budgerigar	C
<i>Merops ornatus</i>	rainbow bee-eater	C
<i>Microcarbo melanoleucos</i>	little pied cormorant	C
<i>Microeca fascians</i>	jacky winter	C
<i>Microeca flavigaster</i>	lemon-bellied flycatcher	C
<i>Microeca griseoceph</i>	yellow-legged flycatcher	C
<i>Milvus migrans</i>	black kite	C
<i>Mirafra javanica</i>	Horsfield's bushlark	C
<i>Monarcha frater</i>	black-winged monarch	C
<i>Monarcha melanopsis</i>	black-faced monarch	C
<i>Motacilla alba</i>	white wagtail	C
<i>Motacilla cinerea</i>	grey wagtail	C
<i>Myiagra alecto</i>	shining flycatcher	C
<i>Myiagra cyanoleuca</i>	satin flycatcher	C
<i>Myiagra inquieta</i>	restless flycatcher	C
<i>Myiagra rubecula</i>	leaden flycatcher	C
<i>Myiagra ruficollis</i>	broad-billed flycatcher	C
<i>Myzomela erythrocephala</i>	red-headed honeyeater	C
<i>Myzomela obscura</i>	dusky honeyeater	C
<i>Myzomela sanguinolenta</i>	scarlet honeyeater	C
<i>Nectarinia jugularis</i>	olive-backed sunbird	C
<i>Neochmia modesta</i>	plum-headed finch	C
<i>Neochmia phaeton</i>	crimson finch	C
<i>Neochmia phaeton phaeton</i>	crimson finch	C
<i>Neochmia ruficauda</i>	star finch	C
<i>Neochmia temporalis</i>	red-browed finch	C

conserving... sharing... enriching





# Wet Tropics Bioregion

## Birds Species List

### NCA Key

C - Common, V - Vulnerable, NT - Near threatened, E - Endangered, Introduced -     

<i>Nesoptilotis leucotis</i>	white-eared honeyeater	C
<i>Nettapus coromandelianus</i>	cotton pygmy-goose	NT
<i>Nettapus pulchellus</i>	green pygmy-goose	C
<i>Ninox boobook</i>	southern boobook	C
<i>Ninox connivens</i>	barking owl	C
<i>Ninox rufa queenslandica</i>	rufous owl (southern subspecies)	V
<i>Numenius madagascariensis</i>	eastern curlew	NT
<i>Numenius minutus</i>	little curlew	C
<i>Numenius phaeopus</i>	whimbrel	C
<i>Nycticorax caledonicus</i>	Nankeen night-heron	C
<i>Nymphicus hollandicus</i>	cockatiel	C
<i>Ocyphaps lophotes</i>	crested pigeon	C
<i>Onychoprion anaethetus</i>	bridled tern	C
<i>Onychoprion fuscata</i>	sooty tern	C
<i>Oreoica gutturalis</i>	crested bellbird	C
<i>Oreoscopus gutturalis</i>	fernwren	C
<i>Oriolus flavocinctus</i>	yellow oriole	C
<i>Oriolus sagittatus</i>	olive-backed oriole	C
<i>Orthonyx spaldingii</i>	chowchilla	C
<i>Orthonyx temminckii</i>	Australian logrunner	C
<i>Oxyura australis</i>	blue-billed duck	C
<i>Pachycephala lanioides</i>	white-breasted whistler	C
<i>Pachycephala melanura</i>	mangrove golden whistler	C
<i>Pachycephala olivacea</i>	olive whistler	C
<i>Pachycephala pectoralis</i>	golden whistler	C
<i>Pachycephala rufiventris</i>	rufous whistler	C
<i>Pachycephala simplex peninsulae</i>	grey whistler	C
<i>Pandion cristatus</i>	eastern osprey	C
<i>Pardalotus punctatus</i>	spotted pardalote	C
<i>Pardalotus rubricatus</i>	red-browed pardalote	C
<i>Pardalotus striatus</i>	striated pardalote	C
<i>Passer domesticus</i>	house sparrow	
<i>Pavo cristatus</i>	Indian peafowl	
<i>Pelecanoides urinatrix</i>	common diving-petrel	C
<i>Pelecanus conspicillatus</i>	Australian pelican	C
<i>Peneonanthe pulverulenta</i>	mangrove robin	C
<i>Petrochelidon ariel</i>	fairy martin	C
<i>Petrochelidon nigricans</i>	tree martin	C
<i>Petroica boodang</i>	scarlet robin	C
<i>Petroica goodenovii</i>	red-capped robin	C
<i>Petroica rosea</i>	rose robin	C
<i>Phaethon lepturus</i>	white-tailed tropicbird	C
<i>Phaethon rubricauda</i>	red-tailed tropicbird	V
<i>Phalacrocorax carbo</i>	great cormorant	C
<i>Phalacrocorax sulcirostris</i>	little black cormorant	C
<i>Phalacrocorax varius</i>	piebald cormorant	C
<i>Phaps chalcoptera</i>	common bronzewing	C
<i>Phaps histrionica</i>	flock bronzewing	C
<i>Philemon argenticeps</i>	silver-crowned friarbird	C
<i>Philemon buceroides</i>	helmeted friarbird	C
<i>Philemon citreogularis</i>	little friarbird	C
<i>Philemon corniculatus</i>	noisy friarbird	C
<i>Philomachus pugnax</i>	ruff	C
<i>Phonygammus keraudrenii</i>	trumpet manucode	C
<i>Phylidonyris niger</i>	white-cheeked honeyeater	C
<i>Pitta erythrogaster</i>	red-bellied pitta	C
<i>Pitta versicolor</i>	noisy pitta	C
<i>Platalea flavipes</i>	yellow-billed spoonbill	C
<i>Platalea regia</i>	royal spoonbill	C
<i>Platycercus adscitus</i>	pale-headed rosella	C
<i>Platycercus adscitus adscitus</i>	pale-headed rosella (northern form)	C
<i>Platycercus elegans</i>	crimson rosella	C
<i>Platycercus elegans elegans</i>	crimson rosella (nom. subsp.)	C
<i>Platycercus eximius</i>	eastern rosella	C
<i>Plectorhyncha lanceolata</i>	striped honeyeater	C
<i>Plegadis falcinellus</i>	glossy ibis	C
<i>Pluvialis fulva</i>	Pacific golden plover	C
<i>Pluvialis squatarola</i>	grey plover	C
<i>Podargus ocellatus marmoratus</i>	marbled frogmouth	C
<i>Podargus papuensis</i>	Papuan frogmouth	C
<i>Podargus strigoides</i>	tawny frogmouth	C
<i>Podiceps cristatus</i>	great crested grebe	C
<i>Poecilodryas superciliosa</i>	white-browed robin	C
<i>Poephila acuticauda</i>	long-tailed finch	C
<i>Poephila cincta</i>	black-throated finch	C

conserving... sharing... enriching



# Wet Tropics Bioregion

## Birds Species List

### NCA Key

C - Common, V - Vulnerable, NT - Near threatened, E - Endangered, Introduced -     

<i>Poephila cincta atropygialis</i>	black-throated finch (black-rumped subspecies)	C
<i>Poephila cincta cincta</i>	black-throated finch (white-rumped subspecies)	E
<i>Poephila personata</i>	masked finch	C
<i>Poliocephalus poliocephalus</i>	hoary-headed grebe	C
<i>Pomatostomus temporalis</i>	grey-crowned babbler	C
<i>Porphyrio porphyrio</i>	purple swamphen	C
<i>Porzana fluminea</i>	Australian spotted crake	C
<i>Porzana pusilla</i>	Baillon's crake	C
<i>Porzana tabuensis</i>	spotless crake	C
<i>Psitteuteles versicolor</i>	varied lorikeet	C
<i>Psophodes olivaceus</i>	eastern whiptail	C
<i>Ptilinopus magnificus</i>	wompoo fruit-dove	C
<i>Ptilinopus regina</i>	rose-crowned fruit-dove	C
<i>Ptilinopus superbus</i>	superb fruit-dove	C
<i>Ptilonorhynchus cerviniventris</i>	fawn-breasted bowerbird	C
<i>Ptilonorhynchus maculatus</i>	spotted bowerbird	C
<i>Ptilonorhynchus nuchalis</i>	great bowerbird	C
<i>Ptilonorhynchus violaceus</i>	sat in bowerbird	C
<i>Ptiloris paradiseus</i>	paradise riflebird	C
<i>Ptiloris victoriae</i>	Victoria's riflebird	C
<i>Ptilotula flavescens</i>	yellow-tinted honeyeater	C
<i>Ptilotula fuscus</i>	fuscous honeyeater	C
<i>Ptilotula penicillatus</i>	white-plumed honeyeater	C
<i>Ptilotula plumulus</i>	grey-fronted honeyeater	C
<i>Puffinus gavia</i>	fluttering shearwater	C
<i>Puffinus huttoni</i>	Hutton's shearwater	C
<i>Purnella albifrons</i>	white-fronted honeyeater	C
<i>Rallina tricolor</i>	red-necked crake	C
<i>Ramsayornis fasciatus</i>	bar-breasted honeyeater	C
<i>Ramsayornis modestus</i>	brown-backed honeyeater	C
<i>Recurvirostra novaehollandiae</i>	red-necked avocet	C
<i>Rhipidura albiscapa</i>	grey fantail	C
<i>Rhipidura leucophrys</i>	willie wagtail	C
<i>Rhipidura rufifrons</i>	rufous fantail	C
<i>Rhipidura rufiventris</i>	northern fantail	C
<i>Rostratula australis</i>	Australian painted snipe	V
<i>Scenopoeetes dentiostriis</i>	tooth-billed bowerbird	C
<i>Scythrops novaehollandiae</i>	channel-billed cuckoo	C
<i>Sericornis beccarii</i>	tropical scrubwren	C
<i>Sericornis citreogularis</i>	yellow-throated scrubwren	C
<i>Sericornis frontalis</i>	white-browed scrubwren	C
<i>Sericornis kerri</i>	Atherton scrubwren	C
<i>Sericornis magnirostra</i>	large-billed scrubwren	C
<i>Smicronis brevirostris</i>	weebill	C
<i>Sphecotheres vieilloti</i>	Australasian figbird	C
<i>Stercorarius pomarinus</i>	pomarine jaeger	C
<i>Sterna dougallii</i>	roseate tern	C
<i>Sterna hirundo</i>	common tern	C
<i>Sterna paradisaea</i>	Arctic tern	C
<i>Sterna sumatrana</i>	black-naped tern	C
<i>Sternula albifrons</i>	little tern	E
<i>Sternula nereis</i>	fairy tern	C
<i>Stictonetta naevosa</i>	freckled duck	NT
<i>Stiltia isabella</i>	Australian pratincole	C
<i>Stomiopera flavus</i>	yellow honeyeater	C
<i>Stomiopera unicolor</i>	white-gaped honeyeater	C
<i>Strepera graculina</i>	pie currawong	C
<i>Streptopelia chinensis</i>	spotted dove	<span style="background-color: yellow;">    </span>
<i>Struthidea cinerea</i>	apostlebird	C
<i>Sturnus tristis</i>	common myna	<span style="background-color: yellow;">    </span>
<i>Sturnus vulgaris</i>	common starling	<span style="background-color: yellow;">    </span>
<i>Sugomel niger</i>	black honeyeater	C
<i>Sula dactylatra</i>	masked booby	C
<i>Sula leucogaster</i>	brown booby	C
<i>Sula sula</i>	red-footed booby	C
<i>Syma torotoro</i>	yellow-billed kingfisher	C
<i>Symposiarchus trivirgatus</i>	spectacled monarch	C
<i>Tachybaptus novaehollandiae</i>	Australasian grebe	C
<i>Tadorna radjah</i>	radjah shelduck	NT
<i>Tadorna tadornoides</i>	Australian shelduck	C
<i>Taeniopygia bichenovii</i>	double-barred finch	C
<i>Taeniopygia guttata</i>	zebra finch	C
<i>Tanysiptera sylvia</i>	buff-breasted paradise-kingfisher	C
<i>Thalasseus bengalensis</i>	lesser crested tern	C
<i>Thalasseus bergii</i>	crested tern	C

conserving... sharing... enriching



**WET TROPICS**  
MANAGEMENT AUTHORITY





# Wet Tropics Bioregion

## Birds Species List

### NCA Key

C - Common, V - Vulnerable, NT - Near threatened, E - Endangered, Introduced -  

<i>Threskiornis molucca</i>	Australian white ibis	C
<i>Threskiornis spinicollis</i>	straw-necked ibis	C
<i>Todiramphus chloris</i>	collared kingfisher	C
<i>Todiramphus macleayii</i>	forest kingfisher	C
<i>Todiramphus pyrrhopygius</i>	red-backed kingfisher	C
<i>Todiramphus sanctus</i>	sacred kingfisher	C
<i>Tregellasia capito</i>	pale-yellow robin	C
<i>Tregellasia leucops</i>	white-faced robin	C
<i>Tribonyx ventralis</i>	black-tailed native-hen	C
<i>Trichodere cockerelli</i>	white-streaked honeyeater	C
<i>Trichoglossus chlorolepidotus</i>	scaly-breasted lorikeet	C
<i>Trichoglossus haematodus moluccanus</i>	rainbow lorikeet	C
<i>Tringa brevipes</i>	grey-tailed tattler	C
<i>Tringa glareola</i>	wood sandpiper	C
<i>Tringa incana</i>	wandering tattler	C
<i>Tringa nebularia</i>	common greenshank	C
<i>Tringa stagnatilis</i>	marsh sandpiper	C
<i>Tringa totanus</i>	common redshank	C
<i>Turnix maculosus</i>	red-backed button-quail	C
<i>Turnix melanogaster</i>	black-breasted button-quail	V
<i>Turnix olivii</i>	buff-breasted button-quail	V
<i>Turnix pyrrhorthorax</i>	red-chested button-quail	C
<i>Turnix varius</i>	painted button-quail	C
<i>Turnix velox</i>	little button-quail	C
<i>Tyto javanica</i>	eastern barn owl	C
<i>Tyto longimembris</i>	eastern grass owl	C
<i>Tyto novaehollandiae</i>	masked owl	C
<i>Tyto novaehollandiae kimberli</i>	masked owl (northern subspecies)	V
<i>Tyto novaehollandiae novaehollandiae</i>	masked owl (southern subspecies)	C
<i>Tyto tenebricosa multipunctata</i>	lesser sooty owl	C
<i>Tyto tenebricosa tenebricosa</i>	sooty owl	NT
<i>Vanellus miles</i>	masked lapwing	C
<i>Vanellus miles miles</i>	masked lapwing (northern subspecies)	C
<i>Vanellus tricolor</i>	banded lapwing	C
<i>Xanthotis flaviventer</i>	tawny-breasted honeyeater	C
<i>Xanthotis macleayanus</i>	Macleay's honeyeater	C
<i>Xenus cinereus</i>	terek sandpiper	C
<i>Zoothera heinei</i>	russet-tailed thrush	C
<i>Zoothera lunulata</i>	Bassian thrush	C
<i>Zoothera lunulata cuneata</i>	bassian thrush (north-east qld)	C
<i>Zosterops citrinella</i>	pale white-eye	C
<i>Zosterops lateralis</i>	silveryeye	C
<i>Zosterops luteus</i>	yellow white-eye	C



Photo: Bush Thicknee/ Wet Tropics/Campbell Clarke



Photo: Cassowary chick/ Wet Tropics/EPA



Photo: Noisy Pitta/ Wet Tropics/EPA



Photo: Sunbird/ Wet Tropics/WTMA

conserving... sharing... enriching



**WET TROPICS**  
MANAGEMENT AUTHORITY

